MATERIAL SAFETY DATA SHEET							
SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION							
PRODUCT NAME: DuraGloss 50+™							
GENERAL USE: Concrete sealer							
PRODUCT DESCRIPTION: Clear to light amber liquid, slightly alkaline, may cause eye and skin irritation upon contact.							
MANUFACTURER'S NAME SealSource International, LLC	DATE PREPARED: October 16, 2006 SUPERSEDES: New Page 1 of 4						
ADDRESS (NUMBER, STREET, P.O. BOX) 348 W. Center Street	TELEPHONE NUMBER FOR INFORMATION (801) 224-3800						
(CITY, STATE AND ZIP CODE) COUNTRY Orem, UT 84057 USA		EMERGENCY TELEPHONE NUMBER Infotrac (800) 535-5053 Outside USA (352) 323-3500					
DISTRIBUTOR'S NAME Same							
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBE	R FOR INFORMATI	ON			
(CITY, STATE AND ZIP CODE) COUNTRY		EMERGENCY TELEPHONE NUMBER					
SECTION	2 - HAZ	ARDOUS INGRED	DIENTS				
HAZARDOUS COMPONENTS	% (by weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES Full Text Section 16		
Proprietary Ingredient A (*, a)	7-13	Not specified	Not specified	Xi	R-36/38		
Proprietary Ingredient B (a)	5 - 10	Not specified	Not specified	Xi	R-38, 41, 43		
Proprietary Ingredient C (a)	3 - 7	Not specified	Not specified	С	R-34		
(*) The ACGIH Threshold Limit Value (TLV) has not been establi limits described have been established as guidelines by the man		OSHA established the Perr	missible Exposure Limit	: (PEL) for th	is product, therefore the		
(a) The specific product is not identified due to "Trade Secret" status. In emergency situations further information may be obtained by the on - duty physician calling the emergency information number listed above. Reference 29 CFR 1910.1200 and / or 40 CFR 350.							
SECTION 3 - HAZARDS IDENTIFICATION							
EMERGENCY OVERVIEW							
Alkaline liquid, prolonged contact may cause skin & eye irritation. Ingestion may cause gastric distress. Hazard symbols for this product - Xi. R- Phrases - R-36/38							
POTENTIAL HEALTH EFFECTS INHALATION: Breathing concentrated vapors may cause irritation of respiratory tract.							
INFIALATION. Breathing concentrated vapors may cause initiation of respiratory tract.							
SKIN: Prolonged contact may cause irritation.							
EYES: Contact with eyes will cause irritation.							
INGESTION: May cause gastric distress, vomiting and diarrhea.							
CARCINOGENICITY NO IARC MONOGRAPHS? NO OSHA REGULATED? NO							

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: DuraGloss 50+™ October 16, 2006

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink large quantities of water or milk; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

NIOSH				ACGIH			
TWA	TWA	STEL	STEL	TWA	TWA	STEL	STEL
ppm	mg/m3	ppm	mg/m3	ppm	mg/m3	ppm	mg/m3
		1*					
established		not	established				
established		not	established	ł			
00100			00100	•			
PERSONAL PROTECTION: RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits,							s limits
NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.							
NIOSH approved respirator must be worn. Relet to 29 CFR 1910, 134 or European Standard EN 149 for complete regulations.							
PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.							
EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133 or European Standard EN166.							
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact, safety							
evewash station nearby.							
	established established shold limits R 1910.134 gloves with 9 CFR 1910	TWA TWA ppm mg/m3 established established shold limits are kept b R 1910.134 or Europe gloves with cuffs. 9 CFR 1910.133 or Eu	TWA TWA STEL ppm ng/m3 ppm established not established not shold limits are kept below maxim R 1910.134 or European Standar gloves with cuffs. 9 CFR 1910.133 or European Stardar	TWA TWA STEL STEL STEL STEL Mg/m3 ppm 1*	TWA TWA STEL STEL TWA ppm mg/m3 ppm 1* </td <td>TWA TWA STEL STEL TWA TWA TWA mg/m3 ppm mg/m3 <thmg m3<="" th=""> mg/m3 <thmg m3<="" th=""></thmg></thmg></td> <td>TWA TWA STEL STEL TWA TWA STEL ppm mg/m3 pm mg/m3 pm</td>	TWA TWA STEL STEL TWA TWA TWA mg/m3 ppm mg/m3 <thmg m3<="" th=""> mg/m3 <thmg m3<="" th=""></thmg></thmg>	TWA TWA STEL STEL TWA TWA STEL ppm mg/m3 pm

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

Page 2 of 4

MATERIAL SAFETY DATA SHEET								
PRODUCT NAME: DuraGloss 50+™ October 16, 2006 Page 3 of 4								
			EMICAL PROPERTIES					
APPEARANCE AND ODOR Clear to light amber liquid, practically odorless			VAPOR PRESSURE 17 mm Hg @ 20° C					
pH Approximately 11.0			SPECIFIC GRAVITY (WATER = 1) 1.106					
			SOLUBILITY IN WATER Appreciable (> 95%)					
FLASH POINT V			VISCOSITY Like that of water					
FLAMMABLE LIMITS V			VAPOR DENSITY (AIR = 1) < 1					
			EVAPORATION RATE (WATER = 1) < 1					
SECTION 10 - STABILITY AND REACTIVITY								
STABILITY UNSTABLE: STABLE: XXX	СО	ONDITIO	ONS TO AVOID: Extreme tempera	atures, keep from freezing.				
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxid	dizers, strong ac	cids.						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.								
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX								
SECTION 11	- TOXICOLO	OGIC	AL INFORMATION					
Hazardous Components	CAS # EINECS #	#	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)				
Proprietary Ingredient A (*, a)	Not specified Not specified		16,540 mg / kg Oral - rat	Not established				
Proprietary Ingredient B (a)	Not specified Not specified		7460 mg / kg Oral - rat	Not established				
Proprietary Ingredient C (a)	Not specified Not specified		Not established	Not established				
			L INFORMATION					
No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.								
SECTION 13 - DISPOSAL CONSIDERATIONS								
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.								
SECTION 14 - TRANSPORT INFORMATION								
DOT HAZARD CLASS / Packaging Group Not reg REFERENCE: Not Ap UN / NA IDENTIFICATION NUMBER: None	ging GroupNot regulatedIATA HAZARD CLASS / Packaging Group:Not regulatedFERENCE:Not ApplicableIMDG HAZARD CLASS:Not regulatedNUMBER:NoneRID / ADR Dangerous Goods Code:Not regulatedLABEL:None RequiredUN TDG Class / Packaging Group:Not regulated							
Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.								

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: DuraGloss 50+™ October 16, 2006

Page 4 of 4

SE	ECTION 15 - REGULATOP	RY INFO	ORMATION				
TSCA (USA - Toxic Substance Control Act) All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50. SARA TITLE III (USA - Superfund Amendments and Reauthorization Act) 311/312 Hazard Categories None							
313 Reportable Ingredients: None							
CERCLA (USA - Comprehensive Response None	Compensation and Liability Act)						
California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 There are no chemicals present known to the state of California to cause cancer or reproductive toxicity							
CPR (Canadian Controlled Products Regula This product has been classified in accord information required by the Controlled Pro	ance with the hazard criteria of the			s and the MSDS contains all the			
IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.							
DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.							
EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances WGK Water Quality Index: nwg VbK Index: Not applicable All							
RISK PHRASES:	SYMBOL(S) REQUIRED FOR	SVEET.	YPHRASES:				
R36/38 Irritating to eyes and skin.	LABEL	S28 After contact with skin, wash immediately with plenty of soap and water. S24/25 Avoid contact with skin and eyes					
	Irritant						
	×						
SECTION 16 - OTHER INFORMATION							
Notes & full R-Phrase text	R34 Causes burns. R36/38 Irritating to eyes an	d skin.					
			205				
R41 Risk of serious damage to the eyes. R43 May cause sensitization by skin contact.							
HMIS HAZARD RATINGS	HEALTH	1	* = Chronic Health H	lazard 2 = MODERATE			
	FLAMMABILITY	0	0 = INSIGNIFICANT				
	PHYSICAL HAZARD	Ő	1 = SLIGHT	4 = EXTREME			
PERS	ONAL PROTECTIVE EQUIPMENT	С	Safety Glasses, Glov	ves, Apron			
REVISION SUMMARY: This MSDS has been revised in the following sections:	No revisions available						
MSDS Prepared by: Comprehensive Data Base, Inc.							
P.O. Box 5604 Lakeland, FL 33807 USA			863) 644 - 3298	www.compdatabase.com			
The information contained herein is believed to be acc product and manufacturers of the components of the p circumstances of use. Vendor assumes no responsibil adhered to as stipulated in the data sheet. Furthermor procedures are followed. Any questions regarding this	product. Users are advised to confirm in ad lity for injury to vendee or third persons pro e, vendor assumes no responsibility for inj	vance of nee eximately cau ury caused b	ed that information is curren used by the material if reasc any abnormal use of this mate	nt, applicable and suited to the phable safety procedures are not erial even if reasonable safety			