

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: InvisiSeal

GENERAL USE: Concrete Sealer

PRODUCT DESCRIPTION: Opaque white liquid mild odor, may cause eye and skin irritation upon contact.

MANUFACTURER'S NAME

SealSource International, LLC

DATE PREPARED: August 22, 2005

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

1422 East 820 North

TELEPHONE NUMBER FOR INFORMATION

(801) 224-3800

(CITY, STATE AND ZIP CODE)

Orem, UT 84097

COUNTRY

USA

EMERGENCY TELEPHONE NUMBER

Infotrac (800) 535-5053 Outside USA (352) 323-3500

DISTRIBUTOR'S NAME

Same

ADDRESS (NUMBER, STREET, P.O. BOX)

TELEPHONE NUMBER FOR INFORMATION

(CITY, STATE AND ZIP CODE)

COUNTRY

EMERGENCY TELEPHONE NUMBER

SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS

CAS #

%

(by weight)

OSHA PEL

ACGIH TWA

SARA

TITLE III

RQ

LBS

Proprietary Ingredient A

Not listed

1 - 5

not established

Proprietary Ingredient B (*)

Not listed

1 - 5

not established

(*) The ACGIH Threshold Limit Value (TLV) has not been established nor has OSHA established the Permissible Exposure Limit (PEL) for this product, therefore the limits described have been established as guidelines by the manufacturer.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Alkaline liquid, prolonged contact may cause skin & eye irritation. Ingestion may cause gastric distress. Hazard symbols for this product - None. R-Phrases - Not classified

POTENTIAL HEALTH EFFECTS

INHALATION: Inhalation of mists or vapors may cause irritation to upper respiratory tract and mucous membranes.

SKIN: Contact with skin may cause irritation, dermatitis.

EYES: Contact with eyes may cause pain and irritation.

INGESTION: Irritating to digestive tract; may cause gastric distress, stomach pains.

CARCINOGENICITY

NTP?

No

IARC MONOGRAPHS?

No

OSHA REGULATED?

No

MATERIAL SAFETY DATA SHEET									
PRODUCT NAME: InvisiSeal August 22, 2005			Page 2 of 4						
SECTION 4 - FIRST AID MEASURES									
INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.									
SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.									
EYES: Remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.									
INGESTION: Drink large quantities of water or milk; DO NOT induce vomiting; seek medical attention immediately.									
SECTION 5 - FIRE FIGHTING MEASURES									
FLASH POINT (METHOD USED) Non-flammable		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">FLAMMABLE LIMITS</td> <td style="width: 33%;">LEL: Not applicable</td> <td style="width: 33%;">UEL: Not applicable</td> </tr> <tr> <td>AUTOIGNITION TEMPERATURE:</td> <td>Not determined</td> <td>NFPA CLASS: None</td> </tr> </table>		FLAMMABLE LIMITS	LEL: Not applicable	UEL: Not applicable	AUTOIGNITION TEMPERATURE:	Not determined	NFPA CLASS: None
FLAMMABLE LIMITS	LEL: Not applicable	UEL: Not applicable							
AUTOIGNITION TEMPERATURE:	Not determined	NFPA CLASS: None							
GENERAL HAZARDS: Product is alkaline. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.									
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, chemical foam									
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released. Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes.									
UNUSUAL FIRE AND EXPLOSION HAZARDS None									
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes, oxides of carbon									
SECTION 6 - ENVIRONMENTAL RELEASE MEASURES									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Material is alkaline and will irritate the eyes if product is allowed to directly contact the eyes. Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal.									
SECTION 7 - HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.									
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION									
ENGINEERING CONTROLS									
The use of local exhaust ventilation is recommended. Use corrosion-resistant ventilation equipment.									
PERSONAL PROTECTION:									
RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits (Section 2) are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.									
PROTECTIVE GLOVES: Neoprene or rubber gloves with cuffs.									
EYE PROTECTION: Goggles with side shields; safety eyewash nearby.									
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact.									
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.									

MATERIAL SAFETY DATA SHEET				
PRODUCT NAME: InvisiSeal August 22, 2005				Page 3 of 4
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
VAPOR PRESSURE (MM Hg) 17 mm Hg @ 20 ° C		VAPOR DENSITY (AIR = 1) < 1		
SPECIFIC GRAVITY (WATER = 1) 1.106		EVAPORATION RATE (WATER = 1) < 1		
SOLUBILITY IN WATER Appreciable (> 95%)		FREEZING POINT 32°F (0° C)		
pH Approximately 11.0		APPEARANCE AND ODOR Clear to light amber liquid, practically odorless		
BOILING POINT 212°F (100° C)		PHYSICAL STATE Liquid		
VISCOSITY Like that of water		VOLATILE ORGANIC COMPOUNDS (Total VOC's) None		
SECTION 10 - STABILITY AND REACTIVITY				
STABILITY <div style="display: flex; justify-content: space-between;">UNSTABLE:STABLE: XXX</div>		CONDITIONS TO AVOID: Extreme temperatures, keep from freezing		
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids				
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon and lithium, hydrocarbons, fumes, and smoke may be produced.				
HAZARDOUS POLYMERIZATION <div style="display: flex; justify-content: space-between;">MAY OCCUR:WILL NOT OCCUR: XXX</div>		CONDITIONS TO AVOID: None		
SECTION 11 - TOXICOLOGICAL INFORMATION				
Hazardous Ingredients	%	CAS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Proprietary Ingredient A	1 - 5	Not listed	Not established	Not established
Proprietary Ingredient B (b*)	1 - 5	Not listed	Not established	Not established
				Not established
SECTION 12 - ECOLOGICAL INFORMATION				
No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.				
SECTION 13 - DISPOSAL CONSIDERATIONS				
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for alkaline materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.				
SECTION 14 - TRANSPORT INFORMATION				
PROPER SHIPPING NAME: Not Regulated				
HAZARD CLASS / Pack Group: None / None		IATA HAZARD CLASS / Pack Group: None		
REFERENCE: Not Applicable		IMDG HAZARD CLASS: None		
IDENTIFICATION NUMBER: None		RID/ADR Dangerous Goods Code: None		
LABEL: None Required		Canadian TDG Class / Division: None		
		HAZARD SYMBOLS: None		
Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.				

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: InvisiSeal
August 22, 2005

Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

None

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL and may or may not be listed in Section 2 of this document. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

EC Risk Phrases

Not classified

EC Safety Phrases

S24/25 Avoid contact with skin and eyes

S28 After contact with skin, wash immediately with plenty of soap and water.

SECTION 16 - OTHER INFORMATION

No specific notes.

HMIS HAZARD RATINGS

HEALTH

1

0 = INSIGNIFICANT

3 = HIGH

FLAMMABILITY

0

1 = SLIGHT

4 = EXTREME

REACTIVITY

0

2 = MODERATE

PERSONAL PROTECTIVE EQUIPMENT

C

Safety Glasses, Gloves, Apron

REVISION SUMMARY:

This MSDS has been revised in the following sections:
Section 2, all items proprietary

MSDS Prepared by: Comprehensive Data Base, Inc.

P.O. Box 5604

Lakeland, FL 33807 USA

(863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.